

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20020044556").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 12:27
L2	3	"20050018651"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:26
L3	723	compar\$3 same (IP near2 packet\$1 near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:35
L4	163	3 and (look\$up near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:36
L5	51	4 and (intercept\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:36
L6	1	("6018530").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 14:05
L7	1	("6643292").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 14:06
L8	1	("6614808").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 14:06
L9	1	("5850526").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 14:11
L10	1	("20040064589").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/03 14:47
S1	1	((YUPENG) near2 (XIONG)).INV.	US-PGPUB; USPAT	OR	OFF	2008/08/12 18:18
S2	1	((YUANCHENG) near2 (HUANG)).INV.	US-PGPUB; USPAT	OR	OFF	2008/08/12 18:18
S3	271	((JUN) near2 (ZHANG)).INV.	US-PGPUB; USPAT	OR	OFF	2008/08/12 18:18
S4	0	("2007/0086477").URPN.	USPAT	OR	OFF	2008/08/12 18:28
S5	10747	DSL (Digital NEAR subscriber NEAR line)	USPAT	OR	OFF	2008/08/12 18:30
S6	0	S3 AND S5	USPAT	OR	OFF	2008/08/12 18:30
S7	3753	S5 AND (multiplex\$3)	USPAT	OR	OFF	2008/08/12 18:30
S8	65	S5 AND (multiplex\$3) AND (signal NEAR transferr\$3)	USPAT	OR	OFF	2008/08/12 18:31
S9	20	S5 AND (multiplex\$3) AND (signal NEAR transferr\$3) AND (MULTI PLEX DEMULTI PLEX)	USPAT	OR	OFF	2008/08/12 18:34
S10	6552	S3 AND DSL (Digital NEAR subscriber NEAR line)	USPAT	OR	OFF	2008/08/12 18:36

S11	1	("6578085").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 09:46
S12	58	("20010012777" "20010016492" "20020021680" "20020059452" "5708655" "6144671" "6172986" "6195705" "6230012" "6240514" "6243758" "6272129" "6282577" "6407988" "6434134" "6452920" "6496704").PN. OR ("6578085").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 09:47
S13	1	("20080159241").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 10:56
S14	0	("2008/0159241").URPN.	USPAT	OR	OFF	2008/09/02 10:57
S15	5149	(370/338).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 10:57
S16	853	S15 and ("IP" (Internet adj protocol))near packet\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 10:59
S17	50	(US-20070110046-\$ or US-20030048797-\$ or US-20060114825-\$ or US-20070258424-\$ or US-20040165594-\$ or US-20050169227-\$ or US-20050170825-\$ or US-20050210243-\$ or US-20050226239-\$ or US-20070189154-\$ or US-20070239886-\$).did. or (US-5627829-\$ or US-7020147-\$ or US-7035932-\$ or US- 7228355-\$ or US-7293110-\$ or US-5363369-\$ or US-5491800-\$ or US-5781550-\$ or US- 5862335-\$ or US-6031818-\$ or US-6172991-\$ or US-6216166-\$ or US-6401127-\$ or US- 6405236-\$ or US-6628617-\$ or US-6636520-\$ or US-6643292-\$ or US-6735205-\$ or US- 6781991-\$ or US-6795918-\$ or US-6826176-\$ or US-6839323-\$ or US-6842452-\$ or US- 6856599-\$ or US-6958977-\$ or US-6976054- \$).did. or (US-7012933-\$ or US-7027434-\$ or US-7050394-\$ or US-7068663-\$ or US- 7126955-\$ or US-7164693-\$ or US-7171464-\$ or US-7171683-\$ or US-7185365-\$ or US- 7216282-\$ or US-7260097-\$ or US-7286476-\$ or US-7313133-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/09/02 11:08
S18	0	("2005/0226239").URPN.	USPAT	OR	OFF	2008/09/02 11:12
S19	122	("4517669" "5214646" "5231633" "5235595" "5295154").PN. OR ("5627829"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 12:55
S20	1	("20050226239").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 15:37
S21	0	("2005/0226239").URPN.	USPAT	OR	OFF	2008/09/02 15:38
S22	1	("7349414").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 15:40
S23	18	("20050174948" "20060182144" "20070053369" "4587651" "6108306" "6157656" "6195332" "6246692" "6542511" "6556548" "6631128" "6667956" "6697373" "6741572" "6813277" "6826160" "6973504" "7042892").PN. OR ("7349414").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 15:41

S24	58	("20010012777" "20010016492" "20020021680" "20020059452" "5708655" "6144671" "6172986" "6195705" "6230012" "6240514" "6243758" "6272129" "6282577" "6407988" "6434134" "6452920" "6496704").PN. OR ("6578085").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 15:54
S25	1	("20040215665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 15:56
S26	3	("2004/0215665").URPN.	USPAT	OR	OFF	2008/09/02 15:56
S27	1	"20030050974"	USPAT	OR	OFF	2008/09/02 16:01
S28	1	("20020116644").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 16:03
S29	70422	packet near2 (send\$3 transmit\$4 pass\$3 forward\$3 fetch\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 16:05
S30	27119	packet\$1 with (speed\$3 accelerat\$3 fast quick)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 16:07
S31	15112	S29 and S30	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 16:07
S32	114	S16 and S31	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/02 16:07
S33	1	("6061349").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/03 13:34
S34	116	("5371852" "5530905" "5617417" "5740172" "5790800" "5793763" "5815664" "5845068" "5894554").PN. OR ("6061349").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/03 13:35
S35	61	packet near interceptor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/03 15:36
S36	4509	edge near process	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/03 15:36
S37	8	(edge near process)with packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/03 15:37
S38	447	packet near driver	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/03 15:39
S39	2	(packet near driver)with aggregate	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/03 15:40
S40	1	("20020188753").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/03 17:29
S41	237018	packet\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:23

S43	1673	packet\$1 near2 driver\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:24
S44	73	packet\$1 near2 interceptor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:24
S45	31235	packet\$1 with buffer\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:25
S46	3	S43 and S44 and S45	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:25
S47	1	("7203195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/04 18:34
S48	9224	devic\$2 with packet\$1 with (interceptor\$3 processor\$1 driver\$1 (data near2 mover\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:43
S49	2327	S48 and (TCP/IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:44
S50	7093	S48 and (buffer storage)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:44
S51	3160	S50 and (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:45
S52	2079	S49 and (buffer storage)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:45
S53	1341	S52 and (LAN WAN)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 18:46
S54	17	((("20030223433") or ("6628617") or ("4958341") or ("6553002") or ("6842446") or ("7266120") or ("6751665") or ("6851050") or ("5307413") or ("20050182968") or ("7113599") or ("20050289647") or ("7023863") or ("20030091037") or ("20060005238") or ("6466976") or ("6400730")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/15 11:30
S55	1	("20070110046").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 09:25
S56	1	S55 and (packet near2 interceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:26
S57	69	(370/912).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 13:09
S58	38	(370/902).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 13:14

S59	1395	(370/395.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 13:23
S60	219	S59 and (aggregat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 13:24
S61	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and(intercepted adj1 IP adj1 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:26
S62	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and(intercept\$2 adj1 IP adj1 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:27
S63	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and (intercept\$2 adj1 IP adj1 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:27
S64	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and (intercept\$2 adj1 IP adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:27
S65	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and (IP adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:27
S66	0	(IP near3 rout\$3) same ((message near2 header adj1 field) and (IP near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:27
S67	3	(IP near3 rout\$3) same ((message near2 header adj1 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:28
S68	2	source near1 packet\$1 near2 interceptor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 15:44
S69	4	(linux near3 exit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:28
S70	0	709/22-25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:32
S71	0	(709/22).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 16:32

S72	1036	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 16:32
S73	1	S72 and (intercept near4 IP near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:33
S74	3621	(709/225).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/17 16:34
S75	0	S74 and (interceptor near4 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:35
S76	0	S74 and (packet\$1 near4 interceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:35
S77	14	S74 and (interceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 16:36
S78	2	"7245610"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 17:53
S79	2	"20020110119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 17:54
S80	12	(edge near router) same (mask\$6 near4 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 09:19
S81	1	(ingress\$3 near3 router)and (eggress\$3 near3 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:46
S82	1	("709"/\$.ccls.) and (ingress\$3 near3 router) and (eggress\$3 near3 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:50
S83	1151	("709"/\$.ccls.) and ((border edge) near3 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:50
S84	358	S83 and (TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:51

S85	171	S84 and ((aggregat\$6 encapsulat\$6) with (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 12:52
S86	76941	TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:26
S87	11992	S86 and ((aggregat\$6 encapsulat\$6) with (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:26
S88	530	S87 and ((border edge) near3 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:26
S89	0	S88 and (ingress\$3 near3 router)and (eggress \$3 near3 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:27
S90	0	S88 and (ingress\$3)and (eggress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:27
S91	137	S88 AND (packet near3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:28
S92	48	(udp icmp) NEAR4 INTERCEPT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 16:50
S93	37	S92 AND tcp/ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 16:50
S94	11	S92 not S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 16:56
S95	2	"20030223433"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:00
S96	27	"6628617"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:02

S97	136	"4958341"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:19
S98	33	S97 and TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:19
S99	22	"6553002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:34
S100	3	S99 and TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:35
S101	5	"6842446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:36
S102	19	"6751665"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:39
S103	14	S102 AND tcp/ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:39
S104	5	"6851050"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:43
S105	83	"5307413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:45
S106	33	S105 and tcp/ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:45
S107	3	"20050182968"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:54
S108	3	"7113599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:55

S109	3	"7191259"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:56
S110	2	"7023863"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 17:59
S111	3	"20030091037"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:00
S112	2	"20060005238"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:01
S113	40	"6466976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:02
S114	21	S113 and tcp/ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:02
S115	150	"6400730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:08
S116	64	S115 and tcp/ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:08
S117	11646	TPO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:37
S118	3310	S117 AND (AGGREGAT\$5 ENCAPSULAT\$3 PACKETIZ\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:38
S119	57	S118 AND HEADER\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:38
S120	2878	S118 AND (HEADER\$1 FIELD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:39

S121	0	S120 AND (EDGE NEAR3 ROUTER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:39
S122	38	S120 AND (ROUTER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 18:39
S123	653	(EDGE SAME (PACKET NEAR3 (ENCAPSULAT\$5 AGGREGAT\$3 PACKETIZ\$4 DEPACKTIZ\$4 DEENCAPSULAT\$5 DEAGGREGAT\$3 COMPRESS\$3 DECOMPRAS\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:15
S124	146	S123 AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:15
S125	144	S124 AND (HEADER\$1 FIELD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:15
S126	118	S125 AND (BUFFER\$3 QUEUE\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:16
S127	102	S126 AND (LAN WAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:16
S128	73	S127 AND (UDP ICMP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:16
S129	79	OPTIMIZ\$5 SAME TCP/IP SAME THROUGHPUT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:23
S130	34	S129 AND (AGGREGAT\$5 ENCAPSULAT\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 19:24
S131	33693	("341").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 08:40
S132	0	((("1and(retrievaland") or ("(packetnear3classification)"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 08:41
S133	6	S131 and (retrieval and (packet near3 classification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 08:42

S134	18	"370"/\$.ccls. and (high near1 speed near packet near interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:06
S135	509	(QOS ("QUALITY OF SERVICE")) SAME (TRANSMISSION NEAR2 POWER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:12
S136	2	S135 AND (updat\$3 NEAR (QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:13
S137	0	S135 AND (REVIS\$3 NEAR (QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:15
S138	0	S135 AND (UPGRAD\$3 NEAR (QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:15
S139	0	S135 AND (CHANG\$3 NEAR (QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:15
S140	0	S135 AND (IMPROV\$3 NEAR (QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:16
S141	76	S135 AND ((QOS NEAR PARAMETER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 10:16
S142	1	("20060215559").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 10:18
S143	1	("20070110046").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 11:08
S144	0	("13AND(NEWADJDESTINATION)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 11:09
S145	1	S143 AND(NEW ADJ DESTINATION)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 11:09
S146	0	S143 AND(PTO ADJ SOFTWARE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 11:09

S147	1	S143 AND(SOFTWARE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 11:10
S148	101	(US-20060109829-\$ or US-20060023676-\$ or US-20060018296-\$ or US-20050226197-\$ or US-20050152317-\$ or US-20040066763-\$ or US-20030081582-\$ or US-20030043777-\$ or US-20080020759-\$ or US-20070010244-\$ or US-20060209858-\$ or US-20050089024-\$ or US-20030236929-\$ or US-20030214973-\$ or US-20030198224-\$ or US-20030041166-\$ or US-20020184379-\$ or US-20020188753-\$ or US-20060114897-\$ or US-20030076832-\$ or US-20020110119-\$ or US-20020001307-\$ or US-20020087699-\$ or US-20060010243-\$ or US-20030223433-\$ or US-20050027834-\$). did. or (US-20030115345-\$ or US-20070153782-\$ or US-20020120797-\$ or US-20060114939-\$ or US-20050018615-\$ or US-20040213224-\$ or US-20020057651-\$). did. or (US-5627829-\$ or US-6578085-\$ or US-6975647-\$ or US-6862622-\$ or US-7298720-\$ or US-6987771-\$ or US-6272129-\$ or US-6061349-\$ or US-7068647-\$ or US-6775276-\$ or US-6718387-\$ or US-6714985-\$ or US-6687731-\$ or US-6671273-\$ or US-6574229-\$ or US-6553005-\$ or US-6549538-\$ or US-6438137-\$ or US-6337862-\$ or US-6330236-\$ or US-6298063-\$ or US-5790800-\$ or US-7333498-\$ or US-7305493-\$ or US-7174390-\$ or US-7136355-\$). did. or (US-7007101-\$ or US-6678734-\$ or US-5826041-\$ or US-5293379-\$ or US-5315580-\$ or US-5477531-\$ or US-5978373-\$ or US-5983274-\$ or US-6101543-\$ or US-6553030-\$ or US-6647418-\$ or US-6687732-\$ or US-6708233-\$ or US-7317725-\$ or US-7203187-\$ or US-7042880-\$ or US-6791985-\$ or US-6714545-\$ or US-6697368-\$ or US-6674744-\$ or US-6625156-\$ or US-6567378-\$ or US-6125116-\$ or US-7304952-\$ or US-7239639-\$ or US-7185068-\$ or US-7088717-\$). did. or (US-6970446-\$ or US-7363572-\$ or US-7451235-\$ or US-7428247-\$ or US-7389527-\$ or US-RE39501-\$ or US-5841764-\$ or US-7437477-\$ or US-7325075-\$ or US-7305464-\$ or US-7379454-\$ or US-6967927-\$ or US-6940862-\$). did. or (JP-2006238059-\$). did. or (US-20040086123-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/11/19 13:30
S149	37	S148 and (interceptor edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 13:31
S150	4	"7142539"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 14:28

S151	66	"6122670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 14:34
S152	0	S151 and (aggregate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 14:35
S153	18	S151 and (aggregat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 14:35
S154	2758	(370/466).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 15:21
S155	1029	S154 and (encapsulat\$5 aggregat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 15:21
S156	716	S155 and (version (protocol adj type) (length adj1 field) (IP adj address) (IP adj port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 15:24
S157	180	S156 and ((length near2 field)(status adj field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 15:32
S158	1	("20040157618").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 17:51
S159	2	("2004/0157618").URPN.	USPAT	OR	ON	2008/11/19 17:52
S160	15	("20020150065" "20030060171" "20030165190" "20040152471" "20040157618" "20040266360" "5809430" "6256477" "6266528" "6295289" "6771628" "7010316" "7142867" "7190964" "7215653").PN. OR ("7336634"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/19 17:53
S161	29	("5056109" "5377225" "5430760" "5528687" "5805994" "5809058" "5841768" "5889827" "5894473" "5924043" "5990738" "6108565" "6212174" "6243412").PN. OR ("6295289"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/19 18:07
S162	3	S161 and (channel near3 gain)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/19 18:14
S163	4	(edge near3 process) same TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:38

S164	102	(edge near3 ROUTER) same TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:38
S165	60	S164 AND (ENCAPSULAT\$6 DECAPSULAT\$3 AGGEREGAT\$4 DEAGGREGAT\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:39
S166	60	S165 AND (ROUT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:39
S167	60	S166 AND PACKET\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:39
S168	46	S167 AND (LAN WAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:40
S169	40	S168 AND UDP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:40
S170	40	S169 AND (HEADER FIELD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:40
S171	27	S170 AND FLAG	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:40
S172	0	S171 AND DRIVER	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:40
S173	76941	TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:49

S174	635	S173 AND ((ENCAPSULAT\$4 AND DECAPSULAT\$3) OR (AGGREGAT\$3/DEAGGREGAT\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:50
S175	473	S174 AND (FIELD AND HEADER)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:51
S176	444	S175 AND (ROUT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:51
S177	295	S176 AND (LAN WAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:51
S178	76	S177 AND (IP ADJ ROUT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 18:51
S179	0	SP-VLAN near tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 19:05
S180	9	inner near VLAN near tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 19:05
S181	55	(receiving near4 packet near9 cable near4 modem).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 19:17
S182	0	(sp-vlan).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 19:17
S183	2	S181 and vlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 19:17

S184	977	(tcp/ip) near3 frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 08:45
S185	828	S184 and packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 08:45
S186	4	S185 and (aggregat\$5/deaggregat\$5 encapsulat\$5/decapsulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 08:46
S187	5	(aggregat\$5/deaggregat\$5 encapsulat\$5/ decapsulat\$5).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 08:49
S188	1	("20020138601").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 08:58
S189	2	"7245610"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 09:11
S190	111115	("370").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 13:48
S191	17370	S190 and (IP near3 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:48
S192	5837	S191 and (tcp/ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:49
S193	1324	S192 and (edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:49
S194	902	S193 and (wan lan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:49
S195	11	S194 and (interceptor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 13:49
S196	32	(multiplex\$3 near3 (ip adj1 packet)) and (demultiplex\$3 near3 (ip adj1 packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:07

S197	1	("6665537").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 15:52
S198	1	("20020116644").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 15:56
S199	1	("20030050974").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 15:58
S200	0	("200402115665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 16:00
S201	0	("2004002115665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 16:00
S202	1	("20040215665").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/20 16:00
S203	3	("2004/0215665").URPN.	USPAT	OR	ON	2008/11/20 16:01
S204	4	(accelerat\$4 near2 TCP/IP).TI.	USPAT	OR	ON	2008/11/20 16:16
S205	1165	(intercept\$3 same packet\$1) with address\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:24
S206	473	S205 and TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:24
S207	208	S206 AND (MULTI PLEX\$3 DEMULTI PLEX\$4 DECAPSULAT\$4 CAPSULAT\$4 AGGREGAT\$3 DEAGGREGAT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:25
S208	154	S207 AND (WAN LAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:25
S209	152	S208 AND (EDGE ROUTER ROUT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:26
S210	147	S209 AND (HEADER FIELD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:26
S211	91	S210 AND (BUFFER\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 17:26

S212	2797	(intercept\$6 tap\$3 receiv\$4 catch\$4) same (packet\$3) same (look\$1up near3 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:08
S213	159484	packet\$1 same ((protocol near3 typ\$2) address\$2 (port bear2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:10
S214	2639	S212 and S213	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:10
S215	78	packet\$1 same (((form\$3 mak\$3 produc\$3 add\$3) same (messag\$3 near2 header near3 field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:12
S216	9	S214 and S215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:13
S217	9	S214 and ((form\$3 mak\$3 produc\$3 add\$3) same (messag\$3 near2 header near3 field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:18
S218	16	S214 and ((messag\$3 near2 header near3 field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 11:20
S219	384	linux with TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:16
S220	217	S219 AND (AGGREGAT\$4 ENCAPSULAT\$4 DECAPSULAT\$4 DEAGGREGAT\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:17
S221	199	S220 AND ROUT\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:17

S222	184	S221 AND PACKET\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:17
S223	183	S222 AND (HEADER FIELD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:17
S224	114	S223 AND BUFFER	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 12:18
S225	3	"20020102984"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 13:17
S226	2	"20060019694"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 13:20
S227	2	"20070280170"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 13:21
S228	2	"20030123425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 13:23
S229	2	"20010053695"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/22 13:25
S230	1	("7012912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/22 13:30
S231	990	rout\$3 near3 header near4 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 14:33
S232	146	"5842040"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 15:05

S233	1	("5842040").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/22 15:06
S234	1	("6084855").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/22 15:08
S235	114	(US-20060109829-\$ or US-20060023676-\$ or US-20060018296-\$ or US-20050226197-\$ or US-20050152317-\$ or US-20040066763-\$ or US-20030081582-\$ or US-20030043777-\$ or US-20080020759-\$ or US-20070010244-\$ or US-20060209858-\$ or US-20050089024-\$ or US-20030236929-\$ or US-20030214973-\$ or US-20030198224-\$ or US-20030041166-\$ or US-20020184379-\$ or US-20020188753-\$ or US-20060114897-\$ or US-20030076832-\$ or US-20020110119-\$ or US-20020001307-\$ or US-20020087699-\$ or US-20060010243-\$ or US-20030223433-\$ or US-20050027834-\$). did. or (US-20030115345-\$ or US-20070153782-\$ or US-20020120797-\$ or US-20060114939-\$ or US-20050018615-\$ or US-20040213224-\$ or US-20020057651-\$ or US-20070086454-\$ or US-20020146016-\$).did. or (US-5627829-\$ or US-6578085-\$ or US-6975647-\$ or US-6862622-\$ or US-7298720-\$ or US-6987771-\$ or US-6272129-\$ or US-6061349-\$ or US-7068647-\$ or US-6775276-\$ or US-6718387-\$ or US-6714985-\$ or US-6687731-\$ or US-6671273-\$ or US-6574229-\$ or US-6553005-\$ or US-6549538-\$ or US-6438137-\$ or US-6337862-\$ or US-6330236-\$ or US-6298063-\$ or US-5790800-\$ or US-7333498-\$ or US-7305493-\$ or US-7174390-\$ or US-7136355-\$).did. or (US-7007101-\$ or US-6678734-\$ or US-5826041-\$ or US-5293379-\$ or US-5315580-\$ or US-5477531-\$ or US-5978373-\$ or US-5983274-\$ or US-6101543-\$ or US-6553030-\$ or US-6647418-\$ or US-6687732-\$ or US-6708233-\$ or US-7317725-\$ or US-7203187-\$ or US-7042880-\$ or US-6791985-\$ or US-6714545-\$ or US-6697368-\$ or US-6674744-\$ or US-6625156-\$ or US-6567378-\$ or US-6125116-\$ or US-7304952-\$ or US-7239639-\$ or US-7185068-\$ or US-7088717-\$).did. or (US-6970446-\$ or US-7363572-\$ or US-7451235-\$ or US-7428247-\$ or US-7389527-\$ or US-RE39501-\$ or US-5841764-\$ or US-7437477-\$ or US-7325075-\$ or US-7305464-\$ or US-7379454-\$ or US-6967927-\$ or US-6940862-\$ or US-6993021-\$ or US-7263071-\$ or US-7151780-\$ or US-6658021-\$ or US-6578084-\$ or US-6338131-\$ or US-7330908-\$ or US-6934257-\$ or US-6721333-\$ or US-6708001-\$ or US-6701088-\$).did. or (JP-2006238059-\$).did. or (US-20040086123-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2008/11/24 08:04
S236	938	(form\$3 produc\$3)same (message near3 header near3 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:19

S237	541	S236 and packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:20
S238	10	S237 and (intercept\$3 near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:20
S239	1	"10571189"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:34
S240	1	S239 and (new adj1 destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:35
S241	16	(US-20030214973-\$ or US-20030076832-\$ or US-20030223433-\$ or US-20020120797-\$ or US-20060114939-\$ or US-20070086454-\$). did. or (US-6975647-\$ or US-6987771-\$ or US-7068647-\$ or US-6549538-\$ or US-6438137-\$ or US-7333498-\$ or US-7305493-\$ or US-5293379-\$ or US-6553030-\$ or US-6993021-\$).did.	US-PGPUB; USPAT	OR	ON	2008/11/24 08:36
S242	2	S241 and (intercept\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 08:37
S243	1	(read\$3)same (IP adj1 packet\$1) same (form\$3 near3 message near2 header near2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:49
S244	1	(read\$3 intercept\$3)same (IP adj1 packet\$1) same (form\$3 near3 message near2 header near2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:50
S245	1	(read\$3 spoof\$3 intercept\$3)same (IP adj1 packet\$1) same (form\$3 near3 message near2 header near2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:50
S246	2	(IP adj1 packet\$1) same (form\$3 near3 message near2 header near2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:50
S247	110	(form\$3 near3 message near2 header near2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:51

S248	7	S247 and (IP NEAR3 PACKET\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:52
S249	18916	((source ADJ1 IP ADJ1 address) (source ADJ1 port ADJ1 number) (destination ADJ1 IP ADJ1 address) (destination ADJ1 port ADJ1 number) (protocol ADJ1 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:57
S250	9	S249 AND S247	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 09:57
S251	178	((source ADJ1 IP ADJ1 address) (source ADJ1 port ADJ1 number) (destination ADJ1 IP ADJ1 address) (destination ADJ1 port ADJ1 number) (protocol ADJ1 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 10:01
S252	176	S251 AND PACKET\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 10:01
S253	78	S252 AND (IP NEAR3 ROUT\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 10:01
S254	1	S239 and through	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:19
S255	0	S239 and throughoutput	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:19
S256	1	S239 and through output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:19
S257	1	((version adj1 field) (length adj3 header adj3 field) (message adj3 function adj3 type adj3 field) (message adj4 flag adj4 field)(protocol adj4 type adj4 field) (sequence adj3 number adj4 field)(source adj3 IP adj3 address adj3 field) (destination adj3 IP adj3 address adj3 field) (source adj3 IP adj3 port adj3 number adj3 field)(destination adj3 IP adj3 port adj3 number adj3 field) (length adj5 data adj4 field)(status adj4 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:54

S258	1	((version adj1 field) (length adj3 header adj3 field) (message adj3 function adj3 type adj3 field) (message adj4 flag adj4 field)(protocol adj4 type adj4 field) (sequence adj3 number adj4 field)(source adj3 IP adj3 address adj3 field) (destination adj3 IP adj3 address adj3 field) (source adj3 IP adj3 port adj3 number adj3 field)(destination adj3 IP adj3 port adj3 number adj3 field) (length adj5 data adj4 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:54
S259	1	((version adj1 field) (length adj3 header adj3 field) (function adj3 type adj3 field) (flag adj4 field)(protocol adj4 type adj4 field) (sequence adj3 number adj4 field)(source adj3 IP adj3 address adj3 field) (destination adj3 IP adj3 address adj3 field) (source adj3 IP adj3 port adj3 number adj3 field) (destination adj3 IP adj3 port adj3 number adj3 field) (length adj5 data adj4 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:55
S260	1	((version adj1 field) (length adj3 header adj3 field) (function adj3 type adj3 field) (flag adj4 field)(protocol adj4 field) (sequence adj3 number adj4 field)(source adj3 IP adj3 address adj3 field) (destination adj3 IP adj3 address adj3 field) (source adj3 IP adj3 port adj3 number adj3 field)(destination adj3 IP adj3 port adj3 number adj3 field) (length adj5 data adj4 field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 11:55
S261	0	((length adj1 subfield)(subfield adj1 type adj1 code) (highest adj1 physical adj1 block adj1 number near3 sen\$3) (highest adj1 physical adj1 block adj1 number adj1 received) (bit-significant adj1 flag\$1 near3 block\$1 near2 receiv\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:24
S262	0	((length adj1 subfield)(subfield adj1 type adj1 code) (highest adj1 physical adj1 block adj1 number near3 sen\$3) (highest adj1 physical adj1 block adj1 number adj1 received) (bit-significant adj1 flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:25
S263	0	((length adj1 subfield)(subfield adj1 type adj1 code) (highest adj1 physical adj1 block adj1 number near3 sen\$3) (high adj1 physical adj1 block adj1 number adj1 received) (bit-significant adj1 flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:25
S264	0	((length adj1 field)(field adj1 type adj1 code) (highest adj1 physical adj1 block adj1 number near3 sen\$3) (high adj1 physical adj1 block adj1 number adj1 received) (bit-significant adj1 flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:26
S265	0	((length near1 field)(field near1 type near1 code) (highest near1 physical near1 block near1 number near3 sen\$3) (high near1 physical near1 block near1 number near1 received) (bit-significant near1 flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:27
S266	54639	acknowledgement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:28

S267	26715	S266 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:28
S268	23166	S267 and FIELD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:28
S269	11711	S268 AND HEADER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:29
S270	3577	S269 AND (IP near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:29
S271	20	S270 and S251	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/24 13:32
S272	0	("2007/0110046").URPN.	USPAT	OR	ON	2008/11/24 13:41
S273	69609	("709").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/25 13:23
S274	4208	S273 and (tcp/ip and udp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:24
S275	16	S274 and (Ip adj1 packet\$1 near3 intercept \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:25
S276	222	S274 and (packet\$1 near3 intercept\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:34
S277	94	S276 and (ip near2 rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/25 13:34
S278	17	(intercept\$3 near4 IP near2 packet\$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:17
S279	0	(intercept\$3 near4 TCP/IP).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:47

S280	0	(intercept\$3 near4 TCP/IP NEAR3 APPLICATION).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:47
S281	144	(TCP/IP NEAR3 APPLICATION).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:47
S282	61	S281 AND (header field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:48
S283	15	S282 and (encapsulat\$4 decapsulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:48
S284	1	((encapsulat\$4/decapsulat\$4) near3 packet \$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 14:55
S285	3018	(form\$3 generat\$3 mak\$3 produc\$3) near4 (header near3 message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:03
S286	850	S285 and (TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:04
S287	245	S286 AND (IP near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:04
S288	56	S287 and (intercept\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:05
S289	0	("2001044818").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:18
S290	1	("20010044818").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:18
S291	1	("5124984").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:25
S292	1	("20020150110").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:40
S293	0	("200300286639").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:41
S294	1	("200300286639").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:41
S295	1	("20030095546").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:42

S296	1	("6108704").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:46
S297	1	("6044403").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 15:46
S298	324174	(insert\$3 form\$3 embed\$4 add\$3) same (header field message) same (packet\$1 data \$1 frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 10:48
S299	44761	(rout\$3 forward\$3 pass\$3 transmit\$4) same (IP near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 10:49
S300	3128	(intercept\$3 interceptor spoof\$3 collect\$3 gather\$3 fetch\$3) same (packet\$1 data\$1) same (look\$1up near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 10:52
S301	1949	(packet\$1 data\$1) same ((encapsulat\$4 same decapsulat\$4) or (packetizat\$4 same depacketizat\$4) or (aggregat\$4 same deaggregat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 10:55
S302	1261	(packet\$1 or data\$1) with (address\$2 port sequence flag\$1 function length version type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:01
S303	19440	S298 and S299	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:01
S304	113	S303 and S300	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:01
S305	8	S304 and S302	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:01
S306	7	S304 and S301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:07
S307	1151	S298 and S300	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:10
S308	155	S307 and S302	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:10

S309	0	S308 and S301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:11
S310	8	S308 and S299	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:11
S311	144	S308 and (TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:12
S312	1	S311 AND (WAN LAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:13
S313	0	((overcom\$3 NEAR2 effects NEAR1 long NEAR1 distance) (latency)) NEAR1 TCP/IP NEAR1 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:16
S314	1	((overcom\$3 NEAR2 effects NEAR1 long NEAR1 distance) (latency)) SAME TCP/IP NEAR1 traffic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:16
S315	0	("2007/0110046").URPN.	USPAT	OR	ON	2008/11/29 11:17
S316	0	S311 AND (APPLICATION NEAR3 SERVER)	USPAT	OR	ON	2008/11/29 11:22
S317	97	S308 AND ((("370"/\$.CCLS.) OR ("709"/\$. CCLS.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:23
S318	0	("2006/0227811").URPN.	USPAT	OR	ON	2008/11/29 11:26
S319	1	"7366101"	USPAT	OR	ON	2008/11/29 11:31
S320	2	("20020167960" "20030043792").PN. OR ("7366101").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:33
S321	2	"7274706"	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:35
S322	34	("20020107962" "4991133" "5206935" "5222217" "5430842" "5500864" "5638370" "5790786" "5826032" "5898713" "5937169" "6032253" "6119170" "6173333" "6226680" "6226771" "6247060" "6279140" "6289023" "6310884" "6345302" "6389468" "6389479" "6427171" "6427173" "6434620" "6470415" "6513108" "6530061" "6629288" "6631488" "6647528" "6735773").PN. OR ("7274706").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:35

S323	3	S322 AND (INTERCEPT\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:36
S324	137	("4366538" "4991133" "5056058" "5097442" "5163131" "5212778" "5280477" "5289580" "5303344" "5412782" "5448566" "5485579" "5506966" "5511169" "5548730" "5566170" "5588121" "5590328" "5592622" "5629933" "5634099" "5634127" "5642482" "5664114" "5671355" "5678060" "5692130" "5699317" "5701434" "5749095" "5751715" "5752078" "5758084" "5758089" "5758186" "5758194" "5771349" "5790804" "5794061" "5802580" "5812775" "5815646" "5878225" "5913028" "5930830" "5991299" "6009478" "6034963" "6061368" "6141705").PN. OR ("6434620"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:39
S325	3	S324 AND S301	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:39
S326	1134	S298 AND S300	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:53
S327	7	S326 AND S301	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:53
S328	155	S326 AND S302	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 11:54
S329	0	((ACKNOWLEDGEMENT or ACK) NEAR2 (PACKET or DATA or FRAME)) WITH (FLAG SEQUENCE RATE TYPE LENGHT (BLOCK ADJ NUMBER))	US-PGPUB; USPAT; USOCR	AND	ON	2008/11/29 11:58
S330	0	((ACKNOWLEDGEMENT or ACK) NEAR2 (PACKET or DATA or FRAME)) WITH (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR	AND	ON	2008/11/29 11:58
S331	0	((ACKNOWLEDGEMENT or ACK) same (PACKET or DATA or FRAME)) WITH (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR	AND	ON	2008/11/29 11:59
S332	0	((ACKNOWLEDGEMENT or ACK) same (PACKET or DATA or FRAME)) WITH (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 11:59
S333	0	((ACKNOWLEDGEMENT or ACK) same (PACKET or DATA or FRAME)) same (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 12:00
S334	0	((ACKNOWLEDGEMENT or ACK) same (PACKET or DATA or FRAME)) same (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/11/29 12:00

S335	0	((ACKNOWLEDGEMENT or ACK)) same (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/11/29 12:00
S336	0	((ACKNOWLEDGEMENT or ACK)) same (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/11/29 12:00
S337	51169	((ACKNOWLEDGEMENT or ACK)) same (FLAG SEQUENCE RATE TYPE LENGHT (NUMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:01
S338	9	S328 and S337	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:01
S339	3086	S303 and S337	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:02
S340	163	S339 and S302	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:03
S341	163	S340 and S299	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:03
S342	6	S341 and S300	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:03
S343	126	S341 and (lan wan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:03
S344	117	S343 and TCP/IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/29 12:04

S345	142	("4979118" "5295134" "5379297" "5444702" "5452296" "5452297" "5483527" "5528592" "5623489" "5663947" "5715247" "5740156" "5764624" "5771237" "5802052").PN. OR ("5920705").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:02
S346	112	S298 AND S345	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:02
S347	62	S346 AND S299	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:02
S348	11	S347 AND S302	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:02
S349	1	S347 AND S301	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:04
S350	18	((ACCELERAT\$3 enhanc\$3) near4 TCP/IP). AB.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:22
S351	15099	(FORM\$3 NEAR4 (HEADER FIELD MESSAGE)). AB.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:31
S352	14	S351 AND S301	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/29 13:31
S353	0	(307/463).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/02 15:07
S354	1389	(370/463).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/02 15:07
S355	218	S354 and TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:07
S356	3	"7324540"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 15:38
S357	1467	(370/535).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/02 16:09
S358	16	S357 AND (((FORM\$3 ADD\$3 MAK\$3 GENERAT\$3 INSERT\$3) NEAR3 (HEADER FIELD)) SAME (PACKET DATA) SAME (AGGREGAT\$4 DEAGGREGAT\$4 ENCAPSULAT \$4 DECAPSULAT\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:11
S359	52	("4663748" "5758285" "5954829" "5963543" "6049528" "6094435" "6181695" "6230194" "6262976" "6377987" "6421343" "6577653").PN. OR ("6771673").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/02 16:20
S360	1451	(370/469).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/02 16:40
S361	91	S360 AND (((FORM\$3 ADD\$3 MAK\$3 GENERAT\$3 INSERT\$3) NEAR3 (HEADER FIELD)) SAME (PACKET DATA) SAME (AGGREGAT\$4 DEAGGREGAT\$4 ENCAPSULAT \$4 DECAPSULAT\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:40
S362	7918	(370/401-402).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/02 17:38

S363	274	S362 AND (((FORM\$3 ADD\$3 MAK\$3 GENERAT\$3 INSERT\$3) NEAR3 (HEADER FIELD)) SAME (PACKET DATA) SAME (AGGREGAT\$4 DEAGGREGAT\$4 ENCAPSULAT\$4 DECAPSULAT\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 17:38
S364	1	((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 18:01
S365	1	((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (INFORMATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 18:02
S366	0	((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (INFORMATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/12/02 18:02
S367	7597	S362 AND ((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (INFORMATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 18:03
S368	1	S362 AND ((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (INFORMATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 18:03
S369	0	S362 AND ((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number) (length NEAR2 data) (INFORMATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/02 18:03

S370	1	S362 AND ((version NEAR2 field) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 IP NEAR2 address) (destination NEAR2 IP NEAR2 address) (source NEAR2 IP NEAR2 port NEAR2 number) (destination NEAR2 IP NEAR2 port NEAR2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 18:04
S371	2	S362 AND ((version) length (function NEAR2 type) (flag NEAR2 field) (protocol NEAR2 type) (sequence NEAR2 field) (source NEAR2 address) (destination NEAR2 address) (source NEAR2 port NEAR2 number) (destination NEAR2 port NEAR2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 18:05
S372	9	(compression near2 engine) same (packet near2 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 19:06
S373	0	UDP nearlink	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 19:12
S374	1	(edge near3 process) same ((TCP near3 application)(UDP near3 application) (ICMP near3 intercept))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/02 19:14
S375	5	(edge near3 process) same ((TCP near3 application)(UDP near3 application) (ICMP near3 intercept))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 19:15

12/ 3/ 2008 9:38:31 PM

C:\ Documents and Settings\ zbeyen\ My Documents\ EAST\ Workspaces\ 10571189.wsp